



2019 ROADWAY STABILIZATION PROJECT SALEM, NH

ADDENDUM No. 1

January 18, 2019

This Addendum forms part of the Bidding and Contract Documents and modifies the Drawings and Contract and Specifications for the 2019 Roadway Stabilization Project. The items set forth herein, whether of omission, addition, substitution or clarification, are all to be included in and shall form part of the proposed work and Bids submitted to the Town of Salem, New Hampshire. Inclusion of this Addendum shall be acknowledged by inserting its number in the space provided in the Bid Proposal form (Section 00301A). Failure to acknowledge any and all addenda in the above specified Bid Proposal form may be cause for rejection of the bid by the Owner on the grounds that it is not responsive.

ADDEDNDUM No. 1

Bidders are advised the following clarifications and changes are generated by questions at the pre-bid meeting on January 10, 2019 and are hereby incorporated into the CONTRACT DOCUMENTS AND SPECIFICATIONS:

1. **Insert** the attached Section 00301A (Bid) in the CONTRACT DOCUMENTS AND SPECIFICATIONS and **Discard** the original version of Section 00301A.

The revised document corrects quantities shown in the original document.

2. **Water Work (Bid Alt 1):** Will tapping sleeves be allowed in place of cutting in a Tee with solid sleeve?

The Town Utilities Department has authorized tapping sleeves under certain conditions. Bidders should plan on completing the work as shown in the Bid Documents. Alternate methods an pricing can be proposed for review at the time of construction.

3. **Dennis Drive (drainage work):** Is there a sketch available for the culvert replacement on Dennis Drive?

No. A sketch was not prepared for the culver replacement. Work will be coordinated with the Deputy Director of Municipal Services. It is intended that the existing culvert will be replaced matching existing inverts. Headwall placement will be determined based on field conditions.



4. **Hydrant work (Bid Alt 1):** Are there specific part numbers for the hydrants and associated components?

Yes. All necessary part numbers and requirements are included in the Water Specification included in the Bid Documents under Special Provision 611.

5. **Zero Quantities:** Are there quantities for Gravel (Item 304.3), Paver Shim (Item 411.3), and headwalls (Item 900)?

There are no quantities for Gravel or Paver shim. There are Quantities for Headwalls. Refer to attached revised Bid Sheets. Reference also the Quantity Breakdown by Street in Appendix B.

****END OF ADDENDA NO. 1****

SECTION 00301A

BID

To the Town of Salem, New Hampshire, herein called the Owner, acting by and through its Engineering Division, for the **2019 Roadway Stabilization Program**:

The Undersigned, as bidder, herein referred to as singular and masculine, declares as follows:

- (1) The only parties interested in this BID as Principals are named herein;
- (2) This BID is made without collusion with any other person, firm, or corporation;
- (3) No officer, agent, or employee of the Owner is directly or indirectly interested in this BID;
- (4) He has carefully examined the site and adjacent areas of the proposed Work and fully informed and satisfied himself as to the conditions and restraints existing, the character and requirements of the proposed Work, the difficulties attendant upon its execution given said conditions and restraints, and the accuracy of all estimated quantities stated in this BID, and he has carefully read and examined the Contract Documents therein referred to and knows and understands the terms and provisions thereof;
- (5) He understands that information relative to subsurface and other conditions, natural phenomena, existing pipes, foundations, and other structures (surface and/or subsurface) has been furnished only for his information and convenience without any warranty or guarantee, expressed or implied, that the subsurface and/or other conditions, natural phenomena, existing pipes, foundations, and other structures (surface and/or subsurface) actually encountered will be the same as those shown in the Contract Documents and he agrees that he shall not use or be entitled to use any such information made available to him through the Contract Documents or otherwise or obtained by him in his own examination of the site, as a basis of or ground for any claim against the Owner or the Engineer arising from or by reason of any variance which may exist between the aforesaid information made available to or acquired by him and the subsurface and/or other conditions, natural phenomena, existing pipes, foundations, and other structures (surface and/or subsurface) actually encountered during the construction work, and he has made due allowance therefore in this BID;

- (6) He understands that protection of public or private property is the Contractor's responsibility and any damage, whether in or out of the work limit, to any public or private property, facility, structure or utility resulting from any action of his in the prosecution of work shall be his sole burden to correct to the fullest satisfaction of the owner of such public or private property, facility, structure or utility. He understands that no additional compensation of any kind is warranted or will be granted for any damage to any public or private property, facility, structure or utility damaged as a result of his prosecution of any work;

#

- (7) he understands that the quantities of work tabulated in this BID or indicated in the Contract Documents are only approximate and are subject to increase or decrease as deemed necessary by the Engineer;
- (8) he agrees that, if this BID is accepted he will contract with the Owner, as provided in the copy of the Contract Documents deposited in the office of the Engineer, this BID form being part of said Contract Documents, and that he will perform all the work and furnish all the materials and equipment, and provide all labor, services, plant, machinery, apparatus, appliances, tools, supplies and all other things required by the Contract Documents in the manner and within the time therein prescribed and according to the requirements of the Engineer as therein set forth, and that he will take in full payment therefore the lump sum or unit price applicable to each item of the Work as stated in the schedule below.

Note: Bidders must submit a completed Statement of Bidders Qualifications with the Bid. Failure to submit a completed Statement of Bidders Qualifications may be deemed by the Owner as a non-responsive Bid. Refer to Section 00420.

Note: Bidders must bid on each item. All entries in the entire BID must be made clearly and in ink. In case of discrepancy between prices in words and in figures, the words shall govern. In case of discrepancy between the product obtained by multiplying the estimated quantity by the unit price, and the extended amount, the product obtained shall govern. In case of discrepancy between total of extended amounts and total amount of bid stated, total of extended amounts shall govern. Use the pages in this document when submitting proposal and submit contract documents intact.

This BID includes Addenda number(s) _____ (To be filled in by Bidder if Addenda are issued.)

#

BID
00301A -2

Bid Schedule
Base Bid
2019 Roadway Stabilization Project
Salem, New Hampshire

Base Bid

ITEM	DESCRIPTION	EST. QTY.	UNIT	UNIT PRICE		EXTENDED TOTAL
				Words	Figures	(Figures)
203.1	Common Excavation	300	CY			
203.6	Embankment in place (Millings used as gravel shim)	230	CY			
214	Road Base Preparation, Compaction, & Fine Grade	730	SY			
403.11	Hot Bituminous Paving, Machine Method	5109	TONS			
403.111	Small Qty Machine Patch Areas	345	TONS			
403.12	HBP Hand Method (driveways and structure patch)	161	TONS			
417	Cold Planing Bituminous Surfaces	59393	SY			
603.00212	12" RCP Drain Pipe	50	LF			
603.83212	12" HDPE Drain Pipe	40	LF			
604.0007	Polyethylene Liner (for catch basins)	86	EA			
604.4	Remodel Existing Drainage Structures	12	EA			

ITEM	DESCRIPTION	EST. QTY.	UNIT	UNIT PRICE		EXTENDED TOTAL
				Words	Figures	(Figures)
604.41	Maintain & Adjust Catchbasin Frame & Grate	57	EA			
604.5	Adjust Manhole Frame & Cover (sewer or drain)	69	EA			
604.61	New Manhole Frame and Cover (sewer or drain)	8	EA			
604.72	New Type B Frame & Grate	36	EA			
609.813	Bituminous Curb	400	LF			
611.90001	Adjust water Gates & Shutoffs	34	EA			
611.90002	New Valve Box	14	EA			
618	Uniformed Police for Traffic Control	ALLOWANCE		Sixty Thousand Dollars and no cents	\$ 60,000.00	\$ 60,000.00
619.1	Maintenance of Traffic	1	LUMP			
628.2	Sawed Bituminous Pavement	1850	LF			
632.0104	Retroreflective Paint Pavement Marking (4")	10712	LF			
633.3118	Retroreflective Thermoplastic Pavment (18" Stop)	725	LF			
692	Mobilization	1	LUMP			
0	12"-18" Headwall	5	EA			
1010.2	Asphalt Cement Adjustment	ALLOWANCE		Fifteen Thousand Dollars	\$ 15,000.00	\$ 15,000.00
TOTAL AMOUNT (BASE BID)						

ITEM	DESCRIPTION	EST. QTY.	UNIT	UNIT PRICE		EXTENDED TOTAL
				Words	Figures	
BID ALTERNATE 1 - WATER IMPROVMENTS						
202.41	Removal of existing pipe (0 - 24")	75	CY			
206.19	Exploratory Excavation (test pits)	65	CY			
206.2	Rock Structure Excavation	95	CY			
304.3	Crushed Gravel	140	CY			
403.12	HBP Hand Method (trench Patch)	55	TONS			
611.05206	6" Cement Lined Ductile Iron Pipe, CL52	145	LF			
611.05208	8" Cement Lined Ductile Iron Pipe, CL52	120	LF			
611.70001	6" Gate Valve	4	EA			
611.70006	6" Fitting	5	EA			
611.70008	8" Fitting	9	EA			
611.81	Hydrant	4	EA			
611.815	Remove and Salvage Hydrant	1	LF			
611.90002	Water Gate Boxes	4	EA			
628.2	Sawed Bituminous Pavement	750	LF			
646.512	Turf Establishment w/ Mulch, Tackifiers, & Loam	350	SY			
TOTAL AMOUNT (BID ALT 1)						

Total Amount of Base Bid:

\$ _____
(Amount in Figures)

(Amount in Words)

Total Amount of Bid Alternate 1 – Water Improvements:

\$ _____
(Amount in Figures)

(Amount in Words)

Total Amount of Bid – Base Bid + Bid Alternate 1:

\$ _____
(Amount in Figures)

(Amount in Words)

The undersigned agrees that extra work, if any, performed in accordance with the Article 10 of the General Conditions of the Contract will be paid for in accordance with Article 11 of the General Conditions of the Contract.

If this BID is accepted by the Owner, the undersigned agrees to complete the entire work provided to be done under the Contract within the time stipulated in the AGREEMENT.

As provided in the INSTRUCTIONS TO BIDDERS, the bidder hereby agrees that he will not withdraw this BID for a period of 90 calendar days after the actual date of the opening of the Bid and that, if the Owner shall accept this BID, the bidder will duly execute and acknowledge the AGREEMENT and furnish, duly executed and acknowledged, the required CONTRACT BONDS and INSURANCE within ten (10) days after notification that the AGREEMENT and other Contract Documents are ready for signature.

Should the bidder fail to fulfill any of his agreements as hereinabove set forth, the Owner shall have the right to retain as liquidated damages the amount of the bid security which shall become the Owner's property. If a bid bond was given, it is agreed that the amount thereof shall be paid as liquidated damages to the Owner by the Surety.

The bidder, by submittal of this BID, agrees with the Owner that the amount of the bid security deposited with this BID fairly and reasonably represents the amount of damages the Owner will suffer due to the failure of the bidder to fulfill his agreements as above provided.

The undersigned further certifies under penalties of perjury that this bid is in all respects bona fide, fair and made without collusion or fraud with any other person. As used in this paragraph the word "person" shall mean any natural person, joint venture, partnership, corporation or other business or legal entity. The attached CERTIFICATE OF NON-COLLUSION must be signed and submitted as part of the Bid Proposal.

(SEAL) _____
(Name of Bidder)

By _____
(Signature and title of authorized
representative)

(Telephone)

(Business address)

(Fax Number)

(City and State)

Date _____

#

BID
00301A -7

The bidder is a corporation incorporated in the State (or Commonwealth) of _____ - a partnership - an individual. (Bidder must add and delete as necessary to make this sentence read correctly.)

Note: If the bidder is a corporation, affix corporate seal and give below the names of its president, treasurer, and general manager if any; if a partnership, give full names and residential addresses of all partners; and if an individual, give residential address if different from business address.

#

BID
00301A -8

CERTIFICATE OF NON-COLLUSION

By submission of this Proposal, the bidder and each person signing on behalf of the bidder, certifies as to its own organization, under penalty of perjury, that to the best of their knowledge and belief:

1. The prices in this Bid Proposal have been arrived at independently without collusion, consultation, communication, or agreement with any other bidder or with any competitor for the purpose of restricting competition.
2. Unless required by law, the prices that have been quoted in this Bid Proposal have not been knowingly disclosed and will not knowingly be disclosed by the bidder, directly or indirectly, to any other bidder or competitor prior to opening of Proposals.
3. No attempt has been made or will be made by the bidder to induce any other person, partnership, or corporation to submit or not to submit a proposal for the purpose of restricting competition.
4. The signers of the Proposal hereby tender to the Owner this sworn statement that the named Contractor(s) has not, whether directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action to restrain free competitive bidding in connection with this Proposal.

A Bid Proposal will not be considered for award nor will any award be made where there has not been compliance with the statements in the certification above.

(Name of person signing bid or proposal)

(Name of business)

END OF SECTION 00301A

#

BID
00301A -9